



## UTILITY SERVICE PERMIT

Brooklyn Center Public Works Department  
6301 Shingle Creek Parkway  
Brooklyn Center, Minnesota 55430-2199  
763-569-3340 763-569-3440 fax  
publicworks@ci.brooklyn-center.mn.us

---

Location:

---

Applicant Name:

Address:

Zip Code:

Telephone Number:

---

Contractor:

Address:

City, State, Zip:

Phone Number:

---

Restoration Bond or  
Monetary Deposit:

Applicant Signature:


Date:

Bond or Deposit  
Return Date:



# RESTORATION BOND AMOUNTS

Brooklyn Center Public Works Department  
 6301 Shingle Creek Pkwy  
 Brooklyn Center, MN 55430-2199  
 763-569-3340 763-569-3440 fax



### Legend

- Schedule A
- Schedule B
- County Road (County Permit Required)

<u>Restoration Bonds or Monetary Deposit</u>	<u>Schedule A</u>	<u>Schedule B</u>
Driveway Permit	\$2,500.00	\$1,500.00
Water & Sewer Permit		
Street Cut	\$4,000.00	\$2,500.00
Sidewalk Impacts Only	\$250.00	\$250.00



## Utility Service Permit General Conditions

The following general conditions apply to work within the cities right of way.

1. The property owner or contractor must submit a Utility Service Permit prior to commencement of work.
2. The applicant is responsible for providing and maintaining traffic control as specified in the latest version of the Minnesota Manual of Uniform Traffic Control Devices (MMUTCD). If the applicant does not possess a copy of MMUTCD, one can be obtained from the Engineering Department.
3. The applicant is responsible for complying with all employee, trench and roadway safety standards.
4. Underground utility installations placed within roadway right-of-way must be inspected by the Public Works Department (763-569-3340) prior to backfill of trench.
5. Underground utility installations placed within private property must be inspected by a member of the Inspections Department (763-569-3330) prior to backfill of the trench.
6. Type, quality and thickness of base and pavement structure placed within the roadway patch area shall be a minimum of 4" Class 5 Aggregate, 2" of type LVNW35030B bituminous mix and 1 ½" of type LVWE45030B bituminous wear course as established by the Engineering Department. The new pavement section shall match the existing conditions unless it is less than the minimums in which case the minimums shall apply.
7. Pavement of a roadway patch must be done under the inspection of a member of the Public Works Department.
8. Failure to comply with items 1 through 6 may result in reconstruction of all or part of the project to the satisfaction of the City Engineer; or assignment of the project completion to a competent party with subsequent costs charged against the posted monetary deposit or bond.
9. City shall release balance of monetary deposit against which it has no claim upon project completion and acceptance.

Date: \_\_\_\_\_ Signature: \_\_\_\_\_